▲ DECKHAND® XL ARM OPTIONS

PIPE ARM XL

- Individual sizes designed to handle 28-56" diameter coated or uncoated pipe
- Handles pipe on and off trailers, rail cars, or pipe rack without disturbing adjacent pipe
- Sensors allow operator to monitor Arm grip status while moving pipe
- · Load locking valve system ensures pipe is never dropped
- · Proximity sensors inform operator of correct positioning and clearance
- · Pipe can be lifted from an off-center position
- · Arms utilize long lasting wear pads to protect coated pipe from damage
- · Fast and efficient at stringing pipe during pipeline construction
- · Can handle pipe covered with snow, ice or dirt





UTILITY ARM XL

- Designed to easily handle 20-42" diameter pipe, poles or casings
- · Handles pipe, poles and casing in all weather conditions
- · Sensors allow operator to monitor arm grip status while moving load
- · Load locking valve system ensures load is never dropped
- · Arms utilize long lasting wear pads to protect coated pipe from damage
- · Load can be lifted from an off-center position
- Fast and efficient at vertical applications, such as utility pole installation
- · Ideal for positioning during welding, lowering in, and pipe extraction
- · Able to handle bent pipe, elbows, tees, and valves
- · Can handle load covered with snow, ice or dirt

WELD POSITIONING ARM

- · Designed to work with 20"-42" diameter pipe during pipeline tie-in operations
- · Can adjust pipe ends for perfect alignment prior to welding
- · Equipped with wireless and wired remote pendant for fine positioning
- · Can also be used as a pipe handler
- · Sensors allow operator to monitor arm grip status while moving load
- · Load locking valve system ensures load is never dropped
- Proximity sensors inform operator of correct positioning and clearance
- · Arms utilize long lasting wear pads to protect coated pipe from damage
- · Can handle pipe covered with snow, ice or dirt





