


# PIPE ARM EXTRA LARGE

## 30"

Individual sizes designed to easily handle 30-56" diameter coated or uncoated pipe using DECKHAND XL

- Handles pipe on and off trailers, rail cars, or pipe rack without disturbing adjacent pipe
- Sensors allow operator to monitor arm grip status while moving pipe
- Load locking valve system ensures pipe is never dropped
- Proximity sensors inform operator of correct positioning and clearance
- Pipe can be lifted from an off-center position
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Fast and efficient at stringing pipe during pipeline construction
- Can handle pipe covered with snow, ice or dirt



### DECKHAND PIPE ARM EXTRA LARGE

#### 30 INCH PAXL SPECIFICATIONS


Part Number	3287
Model Number	PAXL 30
Main Beam Size (inches)	10x10
Material Capacity	30 IN / 76.2 CM
Capacity (per two arms)	28,000 LB / 12,700 KG
Weight	1,150 LB / 522 KG

# PIPE ARM EXTRA LARGE

## 32"

Individual sizes designed to easily handle 30-56" diameter coated or uncoated pipe using DECKHAND XL

- Handles pipe on and off trailers, rail cars, or pipe rack without disturbing adjacent pipe
- Sensors allow operator to monitor arm grip status while moving pipe
- Load locking valve system ensures pipe is never dropped
- Proximity sensors inform operator of correct positioning and clearance
- Pipe can be lifted from an off-center position
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Fast and efficient at stringing pipe during pipeline construction
- Can handle pipe covered with snow, ice or dirt



### DECKHAND PIPE ARM EXTRA LARGE

#### 32 INCH PAXL SPECIFICATIONS


Part Number	3287
Model Number	PAXL 32
Main Beam Size (inches)	10x10
Material Capacity	32 IN / 81.3 CM
Capacity (per two arms)	28,000 LB / 12,700 KG
Weight	1,150 LB / 522 KG

# PIPE ARM EXTRA LARGE

34"

Individual sizes designed to easily handle 30-56" diameter coated or uncoated pipe using DECKHAND XL

- Handles pipe on and off trailers, rail cars, or pipe rack without disturbing adjacent pipe
- Sensors allow operator to monitor arm grip status while moving pipe
- Load locking valve system ensures pipe is never dropped
- Proximity sensors inform operator of correct positioning and clearance
- Pipe can be lifted from an off-center position
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Fast and efficient at stringing pipe during pipeline construction
- Can handle pipe covered with snow, ice or dirt



## DECKHAND PIPE ARM EXTRA LARGE 34 INCH PAXL SPECIFICATIONS


Part Number	3287
Model Number	PAXL 34
Main Beam Size (inches)	10x10
Material Capacity	34 IN / 86.4 CM
Capacity (per two arms)	28,000 LB / 12,700 KG
Weight	1,150 LB / 522 KG

# PIPE ARM EXTRA LARGE

## 36"

Individual sizes designed to easily handle 30-56" diameter coated or uncoated pipe using DECKHAND XL

- Handles pipe on and off trailers, rail cars, or pipe rack without disturbing adjacent pipe
- Sensors allow operator to monitor arm grip status while moving pipe
- Load locking valve system ensures pipe is never dropped
- Proximity sensors inform operator of correct positioning and clearance
- Pipe can be lifted from an off-center position
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Fast and efficient at stringing pipe during pipeline construction
- Can handle pipe covered with snow, ice or dirt



### DECKHAND PIPE ARM EXTRA LARGE

#### 36 INCH PAXL SPECIFICATIONS


Part Number	3209
Model Number	PAXL 36
Main Beam Size (inches)	10x10
Material Capacity	36 IN / 91 CM
Capacity (per two arms)	32,000 LB / 14,515 KG
Weight	1,300 LB / 590 KG

# PIPE ARM EXTRA LARGE

## 38"

Individual sizes designed to easily handle 30-56" diameter coated or uncoated pipe using DECKHAND XL

- Handles pipe on and off trailers, rail cars, or pipe rack without disturbing adjacent pipe
- Sensors allow operator to monitor arm grip status while moving pipe
- Load locking valve system ensures pipe is never dropped
- Proximity sensors inform operator of correct positioning and clearance
- Pipe can be lifted from an off-center position
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Fast and efficient at stringing pipe during pipeline construction
- Can handle pipe covered with snow, ice or dirt



### DECKHAND PIPE ARM EXTRA LARGE

#### 38 INCH PAXL SPECIFICATIONS


Part Number	3287
Model Number	PAXL 38
Main Beam Size (inches)	10x10
Material Capacity	38 IN / 96.5 CM
Capacity (per two arms)	32,000 LB / 14,515 KG
Weight	1,300 LB / 590 KG

# PIPE ARM EXTRA LARGE

40"

Individual sizes designed to easily handle 30-56" diameter coated or uncoated pipe using DECKHAND XL

- Handles pipe on and off trailers, rail cars, or pipe rack without disturbing adjacent pipe
- Sensors allow operator to monitor arm grip status while moving pipe
- Load locking valve system ensures pipe is never dropped
- Proximity sensors inform operator of correct positioning and clearance
- Pipe can be lifted from an off-center position
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Fast and efficient at stringing pipe during pipeline construction
- Can handle pipe covered with snow, ice or dirt



## DECKHAND PIPE ARM EXTRA LARGE 40 INCH PAXL SPECIFICATIONS


Part Number	3287
Model Number	PAXL 40
Main Beam Size (inches)	10x10
Material Capacity	40 IN / 101.6 CM
Capacity (per two arms)	32,000 LB / 14,515 KG
Weight	1,300 LB / 590 KG

# PIPE ARM EXTRA LARGE

## 42"

Individual sizes designed to easily handle 30-56" diameter coated or uncoated pipe using DECKHAND XL

- Handles pipe on and off trailers, rail cars, or pipe rack without disturbing adjacent pipe
- Sensors allow operator to monitor arm grip status while moving pipe
- Load locking valve system ensures pipe is never dropped
- Proximity sensors inform operator of correct positioning and clearance
- Pipe can be lifted from an off-center position
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Fast and efficient at stringing pipe during pipeline construction
- Can handle pipe covered with snow, ice or dirt



### DECKHAND PIPE ARM EXTRA LARGE

#### 42 INCH PAXL SPECIFICATIONS


Part Number	1840
Model Number	PAXL 42
Main Beam Size (inches)	10x10
Material Capacity	42 IN / 106.7 CM
Capacity (per two arms)	28,000 LB / 12,700 KG
Weight	1,500 LB / 680 KG

# PIPE ARM EXTRA LARGE

## 48"

Individual sizes designed to easily handle 30-56" diameter coated or uncoated pipe using DECKHAND XL

- Handles pipe on and off trailers, rail cars, or pipe rack without disturbing adjacent pipe
- Sensors allow operator to monitor arm grip status while moving pipe
- Load locking valve system ensures pipe is never dropped
- Proximity sensors inform operator of correct positioning and clearance
- Pipe can be lifted from an off-center position
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Fast and efficient at stringing pipe during pipeline construction
- Can handle pipe covered with snow, ice or dirt



### DECKHAND PIPE ARM EXTRA LARGE

#### 48 INCH PAXL SPECIFICATIONS

Part Number	4042
Model Number	PAXL 48
Main Beam Size (inches)	10x10
Material Capacity	48 IN / 122 CM
Capacity (per two arms)	30,000 LB / 13,608 KG
Weight	1,905 LB / 864 KG




# PIPE ARM EXTRA LARGE

## 56"

Individual sizes designed to easily handle 30-56" diameter coated or uncoated pipe using DECKHAND XL

- Handles pipe on and off trailers, rail cars, or pipe rack without disturbing adjacent pipe
- Sensors allow operator to monitor arm grip status while moving pipe
- Load locking valve system ensures pipe is never dropped
- Proximity sensors inform operator of correct positioning and clearance
- Pipe can be lifted from an off-center position
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Fast and efficient at stringing pipe during pipeline construction
- Can handle pipe covered with snow, ice or dirt



### DECKHAND PIPE ARM EXTRA LARGE

#### 56 INCH PAXL SPECIFICATIONS

Part Number	4221
Model Number	PAXL 56
Main Beam Size (inches)	10x10
Material Capacity	56 IN / 142.2 CM
Capacity (per two arms)	33,000 LB / 14,970 KG
Weight	2,630 LB / 1,193 KG