


# UTILITY ARM SMALL

## 2-16"

Designed to easily handle 2-16" diameter pipe, poles or casings using DECKHAND S, DECKHAND or DECKHAND 5HP models

- Handles pipe, poles, I-beams and casings in all weather conditions
- Sensors allow operator to monitor arm grip status while moving load
- Load locking valve system ensures load is never dropped
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Load can be lifted from an off-center position
- Fast and efficient at vertical applications, such as utility pole installation
- Ideal for positioning during welding, lowering in, and pipe extraction
- Able to handle bent pipe, elbows, tees and valves
- Can handle load covered with snow, ice or dirt



### DECKHAND UTILITY ARM SMALL

#### 2-16 INCH UAS SPECIFICATIONS

Part Number	6307
Model Number	UAS
Main Beam Size (inches)	6x6
Material Capacity	2-16 IN / 50 - 400 CM
Capacity (per two arms)	5,000 LB / 2,268 KG
Weight (without tips)	372 LB / 168 KG
Shipping Crate P/N	3950
Shipping Dimensions	42L x 38W x 49H IN / 107L x 97W x 125H CM
Shipping Weight (arm set with crate and no tips)	944 LB / 427 KG

# UTILITY ARM HP

## 7-26"

Designed to easily handle 7-26" diameter pipe, poles or casings using DECKHAND S, DECKHAND or DECKHAND 5HP models

- Handles pipe, poles, I-beams and casings in all weather conditions
- Sensors allow operator to monitor arm grip status while moving load
- Load locking valve system ensures load is never dropped
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Load can be lifted from an off-center position
- Fast and efficient at vertical applications, such as utility pole installation
- Ideal for positioning during welding, lowering in, and pipe extraction
- Able to handle bent pipe, elbows, tees and valves
- Can handle load covered with snow, ice or dirt



### DECKHAND UTILITY ARM HP

#### 7-26 INCH UAHP SPECIFICATIONS

Part Number	3452
Model Number	UAHP
Main Beam Size (inches)	6x6
Material Capacity	7-26 IN / 17.8 - 66.0 CM
Capacity (per two arms)	17,000 LB / 7,711 KG
Weight (without tips)	725 LB / 329 KG
Shipping Crate P/N	2578
Shipping Dimensions	54L x 43W x 54H IN / 137L x 109W x 137H CM
Shipping Weight (arm set with crate and no tips)	2,010 LB / 912 KG

# UTILITY ARM L

## 20-42"

Designed to easily handle 20-42" diameter pipe, poles or casings using DECKHAND L

- Handles pipe, poles, I-beams and casings in all weather conditions
- Sensors allow operator to monitor arm grip status while moving load
- Load locking valve system ensures load is never dropped
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Load can be lifted from an off-center position
- Fast and efficient at vertical applications, such as utility pole installation
- Ideal for positioning during welding, lowering in, and pipe extraction
- Able to handle bent pipe, elbows, tees and valves
- Can handle load covered with snow, ice or dirt



### DECKHAND UTILITY ARM L

#### 20-42 INCH UAL SPECIFICATIONS

Part Number	6486
Model Number	UAL
Main Beam Size (inches)	8x8
Material Capacity	20-42 IN
Capacity (per two arms)	36,000 LB / 16,329 KG
Weight	2530 LB / 1147 KG
Overall Dimensions	79L x 25W x 73H IN

# UTILITY ARM XL

## 20-42"

Designed to easily handle 20-42" diameter pipe, poles or casings using DECKHAND XL

- Handles pipe, poles, I-beams and casings in all weather conditions
- Sensors allow operator to monitor arm grip status while moving load
- Load locking valve system ensures load is never dropped
- Arms utilize long lasting wear pads to protect coated pipe from damage
- Load can be lifted from an off-center position
- Fast and efficient at vertical applications, such as utility pole installation
- Ideal for positioning during welding, lowering in, and pipe extraction
- Able to handle bent pipe, elbows, tees and valves
- Can handle load covered with snow, ice or dirt



### DECKHAND UTILITY ARM XL 20-42 INCH UAXL SPECIFICATIONS

Part Number	6850
Model Number	UAXL
Main Beam Size (inches)	10x10
Material Capacity	20-42 IN
Capacity (per two arms)	36,000 LB / 16,329 KG
Weight	2530 LB / 1147 KG
Overall Dimensions	79L x 25W x 73H IN